



## SAFETY DATA SHEET COPPER SULPHATE PENTAHYDRATE

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	COPPER SULPHATE PENTAHYDRATE
Product number	C26
REACH registration number	01-2119520566-40-0003
CAS number	7758-99-8
EU index number	029-023-00-4
EC number	231-847-6

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Absorbents. Adhesives. Catalysts. Ceramics. Coatings, Inks. Cosmetics. Electroplating and Galvanic (including use in electronics, printed wiring boards, engraving/litho graphy, metal surface treatment, wire coating). Fertilisers. Glass. Laboratory chemicals. Leather dyes. Lubricants and Greases. Mineral flotation. Non-metal surface treatment. Photochemicals. Pigments. Polishes and waxes. Processing aids. Putties, fillers, construction chemicals. Raw material for non-ferrous smelting. Raw material for production of other compounds and fine chemicals. Rubber and plastics. Textile dyes. Washing and cleaning products (including solvent based products). Water Treatment. A complete list of uses are provided in the annex to this SDS. Some grades of this substance are available for feed/food use; (E4) Feed additive.
-----------------	---

#### 1.3. Details of the supplier of the safety data sheet

Supplier	Norkem Limited, Norkem House, Bexton Lane, Knutsford, Cheshire, WA16 9FB. UK. T: + 44 (0)1565 755550 F: + 44 (0)1565 755496 datasheet@norkem.com
----------	--

#### 1.4. Emergency telephone number

Emergency telephone	T: 01270 502891 (English-language only response)
---------------------	--

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Acute Tox. 4 - H302 Eye Dam. 1 - H318
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410
Environmental	Acute M-factor = 10 . Chronic M-factor = 1.

## COPPER SULPHATE PENTAHYDRATE

### 2.2. Label elements

**EC number** 231-847-6

**Pictogram**



**Signal word** Danger

**Hazard statements**  
 H302 Harmful if swallowed.  
 H318 Causes serious eye damage.  
 H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements**  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P301+P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/ doctor.  
 P391 Collect spillage.

**Supplementary precautionary statements**  
 P264 Wash contaminated skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P330 Rinse mouth.  
 P501 Dispose of contents/ container in accordance with national regulations.

**Notes**  
 Classification and labelling: Commission Regulation (EU) 2016/1179 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.

### 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

**Product name** COPPER SULPHATE PENTAHYDRATE  
**REACH registration number** 01-2119520566-40-0003  
**EU index number** 029-023-00-4  
**CAS number** 7758-99-8  
**EC number** 231-847-6  
**Composition comments** Purity >90, <100% w/w

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**General information** Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

**Inhalation** Move affected person to fresh air at once. Get medical attention. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention if any discomfort continues.

## COPPER SULPHATE PENTAHYDRATE

<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Remove affected person from source of contamination. Give a few small glasses of water or milk to drink. Get medical attention immediately.
<b>Skin contact</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Coughing. Sore throat.
<b>Ingestion</b>	Stomach pain. Burning sensation in mouth. Diarrhoea. Nausea, vomiting. Shock.
<b>Skin contact</b>	Redness. Pain.
<b>Eye contact</b>	Causes serious eye damage. Redness. Pain. Visual disturbances, including blurred vision.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

### 5.2. Special hazards arising from the substance or mixture

<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Sulphurous gases (SO <sub>x</sub> ). Oxides of the following substances: Copper.
--------------------------------------	---

### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Control run-off water by containing and keeping it out of sewers and watercourses.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Avoid inhalation of dust. Avoid contact with skin and eyes. For personal protection, see Section 8.
-----------------------------	---

<b>For non-emergency personnel</b>	Keep unnecessary and unprotected personnel away from the spillage.
------------------------------------	--

### 6.2. Environmental precautions

<b>Environmental precautions</b>	Do not discharge into drains or watercourses or onto the ground. Avoid the spillage or runoff entering drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
----------------------------------	--

### 6.3. Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible.
--------------------------------	--

### 6.4. Reference to other sections

## COPPER SULPHATE PENTAHYDRATE

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

<b>Usage precautions</b>	Avoid spilling. Avoid inhalation of dust and contact with skin and eyes. Avoid handling which leads to dust formation. Mechanical ventilation or local exhaust ventilation may be required. For further information, see attached Exposure Scenario.
<b>Advice on general occupational hygiene</b>	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Take off contaminated clothing and wash it before reuse. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin.

#### 7.2. Conditions for safe storage, including any incompatibilities

<b>Storage precautions</b>	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10).
----------------------------	--

#### 7.3. Specific end use(s)

<b>Specific end use(s)</b>	The identified uses for this product are detailed in Section 1.2. For further information, see attached Exposure Scenario.
----------------------------	--

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

Long-term exposure limit (8-hour TWA): WEL 1 mg/m<sup>3</sup> dust and mists

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup> dust and mists  
as Cu

WEL = Workplace Exposure Limit

<b>DNEL</b>	Workers - Dermal; Long term systemic effects: 137 mg/kg/day Workers - Dermal; Long term systemic effects: 13.7 (*) g/kg bw/day Workers - Inhalation; Long term local effects: 1 (**) mg Cu/m <sup>3</sup> General population - Oral; Long term systemic effects: 0.041 mg/kg/day (*) for slurries or copper compounds in solution (**) inhalable dust
-------------	---

<b>PNEC</b>	- Fresh water; 7.8 µg/l - Marine water; 5.2 µg/l - Sediment (Freshwater); 87 mg/kg sediment dw - Sediment (Marinewater); 676 mg/kg sediment dw - Soil; 65 mg/kg soil dw - STP; 230 µg/l
-------------	--

#### 8.2. Exposure controls

##### Protective equipment



##### Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Use mechanical ventilation if there is a risk of handling causing formation of airborne dust. For further information, see attached Exposure Scenario.

## COPPER SULPHATE PENTAHYDRATE

<b>Eye/face protection</b>	The following protection should be worn: Dust-resistant, chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
<b>Hand protection</b>	It is recommended that chemical-resistant, impervious gloves are worn. To protect hands from chemicals, gloves should comply with European Standard EN374. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. It is recommended that gloves are made of the following material: Rubber (natural, latex). Chloroprene rubber. Butyl rubber. Polyvinyl chloride (PVC). Thickness: 0.5 mm Breakthrough time: > 480 minutes.
<b>Other skin and body protection</b>	Provide eyewash station and safety shower.
<b>Respiratory protection</b>	Respiratory protection may be required if excessive airborne contamination occurs. For further information, see attached Exposure Scenario. Large Spillages: Wear a full facepiece respirator fitted with the following cartridge: Particulate filter, type P3. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136.
<b>Environmental exposure controls</b>	The risk management measures that adequately control exposure of the environment are set out in the exposure scenarios in the annex to this Safety Data Sheet.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Crystalline powder.
<b>Colour</b>	Blue.
<b>Odour</b>	Odourless.
<b>Odour threshold</b>	Not applicable.
<b>pH</b>	pH (diluted solution): 4.0 @ 1%
<b>Melting point</b>	Not applicable. Will decompose at temperatures exceeding 110°C.
<b>Initial boiling point and range</b>	Not applicable. Will decompose at temperatures exceeding 110°C.
<b>Flash point</b>	Not applicable. Substance is inorganic.
<b>Evaporation rate</b>	Not applicable.
<b>Flammability (solid, gas)</b>	Scientifically unjustified.
<b>Vapour pressure</b>	Scientifically unjustified.
<b>Relative density</b>	2.286 g/cm <sup>3</sup>
<b>Solubility(ies)</b>	Soluble in water. 22 g/100 g water @ 25°C
<b>Partition coefficient</b>	Scientifically unjustified. Substance is inorganic.
<b>Auto-ignition temperature</b>	Scientifically unjustified.
<b>Decomposition Temperature</b>	110°C
<b>Viscosity</b>	Not applicable.

## COPPER SULPHATE PENTAHYDRATE

**Explosive properties** Scientifically unjustified.  
There are no chemical groups present in the product that are associated with explosive properties.

**Oxidising properties** Scientifically unjustified.  
There are no chemical groups present in the product that are associated with oxidising properties.

### 9.2. Other information

**Other information** Not available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** The following materials may react violently with the product: Strong alkalis. Magnesium. ( Powdered metal. ) Hydroxylamine.  
Reactions with the following materials may cause explosions: Acetylene. Potassium chlorate.

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** The material is acidic when dissolved in water and can react with magnesium to form hydrogen gas.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid heat.

### 10.5. Incompatible materials

**Materials to avoid** Strong alkalis. Acetylene. Hydroxylamine. Magnesium. Potassium chlorate. Oxidising agents.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Sulphurous gases (SO<sub>x</sub>). Oxides of the following substances: Copper.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicological effects** Copper is an essential element and therefore, its concentration in the body is strictly and efficiently regulated by homeostatic mechanisms.

Inhalation: The "respirable" fraction is assumed to be 100% absorbed. Absorption of the "inhalable" fraction depends on particle size. The Multiple Path Model of Particle Deposition (MPPD) can quantify the particle dependent absorption.

Oral: An oral absorption of 25% has been adopted, based on studies in the rat.

Dermal: A dermal absorption of 0.3% has been adopted for soluble and insoluble copper substances in solution or suspension, based on in- vitro percutaneous tests with human skin. For dry exposure, a dermal absorption value of 0.03% applies.

### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 480.0

**Species** Rat

## COPPER SULPHATE PENTAHYDRATE

<b>Notes (oral LD<sub>50</sub>)</b>	Harmful if swallowed. Test method(s): OECD 401.
<b>ATE oral (mg/kg)</b>	480.0
<b><u>Acute toxicity - dermal</u></b>	
<b>Notes (dermal LD<sub>50</sub>)</b>	LD <sub>50</sub> > 2000 mg/kg, Dermal, Rat Test method(s): OECD 402. Based on available data the classification criteria are not met.
<b><u>Acute toxicity - inhalation</u></b>	
<b>Notes (inhalation LC<sub>50</sub>)</b>	Not determined. Inhalation is not considered to be a likely route of exposure based on the physical properties of the substance. Based on available data the classification criteria are not met.
<b><u>Skin corrosion/irritation</u></b>	
<b>Animal data</b>	Dose: 0.5 g, 4 hr, Rabbit Erythema/eschar score: average < (1) Oedema score: No oedema (0). Test method(s): OECD 404. Based on available data the classification criteria are not met.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Causes serious eye damage. Test method(s): OECD 405.
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. Test method(s): OECD 406. Based on available data the classification criteria are not met.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Bacterial reverse mutation test, Gene mutation: Negative. Test method(s): OECD 471. Based on available data the classification criteria are not met.
<b>Genotoxicity - in vivo</b>	DNA damage and/or repair: Negative. Test method(s): OECD 486. A mouse micronucleus test (EC method B.12) also gave negative results. Based on available data the classification criteria are not met.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Based on a weight of evidence approach, it was concluded that copper compounds do not have carcinogenic potential. Test method(s): Journal of the American Pharmaceutical Association, 43(12): 722-737, Br. J. Cancer Sep; 23(3): 591-596, Fd Cosmet. Toxicol. 11: 827-840. Based on available data the classification criteria are not met.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Two-generation study - NOAEL > 1500 ppm, Oral, Rat Test method(s): OECD 416. Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	Not classified as a specific target organ toxicant after a single exposure.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	

## COPPER SULPHATE PENTAHYDRATE

**STOT - repeated exposure** A 90-day oral repeat dose study conducted with copper sulphate pentahydrate in rats and mice (test method equivalent to EU B.26) gave the following results:

Forestomach lesions:

NOAEL in the rat: 16.7 mg Cu/kg bw/day

NOAEL in male mice 97 mg Cu/kg bw/day

NOAEL in female mice: 126 mg Cu/kg bw/day

Liver and kidney damage:

NOAEL in the rat: 16.7 mg Cu/kg bw/day

This study was used to calculate of an oral and systemic DNEL of 0.041 mg Cu/kg bw/day (including a Safety factor of 100 and an oral absorption of 25%).

Based on available data the classification criteria are not met.

### Aspiration hazard

**Aspiration hazard** Not relevant.

### General information

:

**Ingestion** Harmful if swallowed.

**Eye contact** Causes serious eye damage.

## SECTION 12: Ecological Information

### 12.1. Toxicity

**Toxicity** Very toxic to aquatic life with long lasting effects.

### Acute aquatic toxicity

**LE(C)<sub>50</sub>** 0.01 < L(E)C<sub>50</sub> ≤ 0.1

**M factor (Acute)** 10

**Acute toxicity** ACUTE AQUATIC TOXICITY- test results and environmental classification:

Acute toxicity of copper ions was assessed using 451 L(E)C<sub>50</sub> values from studies on soluble copper compounds. The lowest species-specific geometric mean reference value of 25.0 µg Cu/L was an L(E)C<sub>50</sub> obtained for *Daphnia magna* at pH 5.5 - 6.5.

Copper sulphate pentahydrate is classified as very toxic to aquatic life.

Copper is an essential nutrient regulated by homeostatic mechanisms and does not bioaccumulate. Bio-available copper ions are rapidly removed from the water column.

Copper sulphate pentahydrate is classified as toxic to aquatic life with long lasting effects.

### Notes

At the Committee for Risk Assessment (RAC) meeting of 4th December 2014, it was decided that copper sulphate pentahydrate should be classified Aquatic, Acute 1 (M-factor 10). The RAC further considered that the concept of 'removal from the water column' cannot be incorporated into the environmental classification of copper and copper compounds until such time as it has been ratified by an international standardisation body such as the Organisation for Economic Cooperation and Development (OECD). It was therefore decided that all copper compounds should also be assigned Aquatic, Chronic 1. However, no chronic M-Factors have been assigned at this time, subject to further assessment of available data by the RAC.

### Chronic aquatic toxicity

**M factor (Chronic)** 1

## COPPER SULPHATE PENTAHYDRATE

### **Chronic toxicity - Freshwater** CHRONIC FRESHWATER TOXICITY- test results and PNEC derivation:

Chronic toxicity of copper ions from soluble copper compounds was assessed using 139 NOEC/EC10 values from 27 species representing different trophic levels (fish, invertebrates and algae). Species-specific NOECs were normalised using Biotic Ligand Models and used to derive Species Sensitivity Distributions (SSD) and a lowest HC5 (the median fifth percentile of the SSD) of 7.8 µg dissolved Cu/L. This value is considered to be protective of 90% of EU surface waters and represents a reasonable worst case. Applying an assessment factor of 1, a default chronic freshwater PNEC of 7.8 µg dissolved Cu/L is assigned to assess local risks.

### **Chronic toxicity - Marine waters** CHRONIC MARINE WATERS TOXICITY- test results and PNEC derivation:

Chronic toxicity of copper ions from soluble copper compounds was assessed using 51 NOEC/EC10 values from 24 species representing different trophic levels (fish, invertebrates and algae). Species-specific NOECs were calculated after normalizing to dissolved organic carbon (DOC) and were used to derive SSDs and HC5 values. Normalisation at a typical DOC for coastal waters of 2 mg/l resulted in an HC5 of 5.2 µg dissolved Cu/L. Applying an assessment factor of 1, a default chronic marine PNEC of 5.2 µg dissolved Cu/L is assigned to assess local risks.

### **Chronic toxicity - Freshwater sediment** CHRONIC FRESHWATER SEDIMENT TOXICITY- test results and PNEC derivation:

Toxicity of copper ions from soluble copper compounds was assessed using 62 NOEC values from 6 benthic species. The NOECs were related to DOC and Acid Volatile Sulphide (AVS) and were used to derive SSDs and HC5 values. An HC5 of 1741 mg Cu/kg OC, corresponding to 87 mg Cu/kg dry weight, was calculated for a low AVS sediment with a default OC of 5%. Applying an assessment factor of 1, a default chronic freshwater sediment PNEC of 87 mg Cu/kg dry weight is assigned to assess local risks.

### **Chronic toxicity - Terrestrial** CHRONIC TERRESTRIAL TOXICITY- test results and PNEC derivation:

Toxicity of copper ions from soluble copper compounds was assessed using 252 NOEC/EC10 values from 28 different species representing different trophic levels (decomposers, primary producers, primary consumers). NOEC values were adjusted to account for differences between lab-spiked soils and field-contaminated soils by the addition of a leaching ageing factor of 2. The adjusted values were then normalized to a range of EU soils using regression bioavailability models and used to derive SSDs and a lowest HC5 value of 65.5 mg Cu/kg dry weight. Applying an assessment factor of 1, a default chronic soil PNEC of 65.5 mg Cu/kg dry weight is assigned.

### **Toxicity - Sewage Treatment Plant** TOXICITY TO SEWAGE TREATMENT PLANT (STP) MICRO-ORGANISMS

The toxicity of copper ions from soluble copper compounds was assessed using NOEC and EC50 values from high quality studies with STP bacteria and protozoa. The statistically-derived NOEC was 0.23 mg Cu/L in the STP. Applying an assessment factor of 1, a PNEC of 0.23 mg Cu/L is assigned for Sewage Treatment Plant.

## **12.2. Persistence and degradability**

### **Persistence and degradability** The copper ions resulting from the degradation of this product cannot be degraded.

The fate of copper ions in the water column was modelled using the Ticket Unit World Model. Removal was also assessed using data from one mesocosm and three field studies. "Rapid" removal was demonstrated, defined as 70% removal within 28 days. Literature data confirm the strong binding of copper ions to sediment, with the formation of stable Cu-S complexes. Re-mobilisation of copper ions to the water column is therefore not expected. Copper does not meet the criteria as "persistent".

## COPPER SULPHATE PENTAHYDRATE

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The "bioaccumulative" criteria are not applicable to essential metals.

**Partition coefficient** Scientifically unjustified. Substance is inorganic.

### 12.4. Mobility in soil

**Mobility** Copper ions bind strongly to soil. The median water-soil partitioning coefficient (Kp) is 2120 L/kg.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This substance is not classified as PBT or vPvB according to current EU criteria. Substance is inorganic.

### 12.6. Other adverse effects

**Other adverse effects** Copper sulphate does not contribute to ozone depletion, ozone formation, global warming or acidification.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

## SECTION 14: Transport information

### 14.1. UN number

**UN No. (ADR/RID)** 3077

**UN No. (IMDG)** 3077

**UN No. (ICAO)** 3077

**UN No. (ADN)** 3077

### 14.2. UN proper shipping name

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper Sulphate) 9, III, (E)

**Proper shipping name (ADR/RID)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (COPPER SULPHATE PENTAHYDRATE)

**Proper shipping name (IMDG)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (COPPER SULPHATE PENTAHYDRATE)

**Proper shipping name (ICAO)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (COPPER SULPHATE PENTAHYDRATE)

**Proper shipping name (ADN)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (COPPER SULPHATE PENTAHYDRATE)

### 14.3. Transport hazard class(es)

**ADR/RID class** 9

**ADR/RID classification code** M7

**ADR/RID label** 9

**IMDG class** 9

**ICAO class/division** 9

## COPPER SULPHATE PENTAHYDRATE

**ADN class** 9

### Transport labels



### 14.4. Packing group

**ADR/RID packing group** III

**IMDG packing group** III

**ADN packing group** III

**ICAO packing group** III

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**



### 14.6. Special precautions for user

**EmS** F-A, S-F

**ADR transport category** 3

**Emergency Action Code** 2Z

**Hazard Identification Number (ADR/RID)** 90

**Tunnel restriction code** (E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).  
Commission Regulation (EU) 2016/1179 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures.

**Guidance** Workplace Exposure Limits EH40.  
Introduction to Local Exhaust Ventilation HS(G)37.

### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

## COPPER SULPHATE PENTAHYDRATE

### SECTION 16: Other information

<b>Abbreviations and acronyms used in the safety data sheet</b>	<p>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</p> <p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>ATE: Acute Toxicity Estimate.</p> <p>BCF: Bioconcentration Factor.</p> <p>CAS: Chemical Abstracts Service.</p> <p>DNEL: Derived No Effect Level.</p> <p>EC<sub>50</sub>: 50% of maximal Effective Concentration.</p> <p>IATA: International Air Transport Association.</p> <p>ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</p> <p>IMDG: International Maritime Dangerous Goods.</p> <p>LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.</p> <p>LD<sub>50</sub>: Lethal Dose to 50% of a test population (Median Lethal Dose).</p> <p>LOAEC: Lowest Observed Adverse Effect Concentration.</p> <p>LOAEL: Lowest Observed Adverse Effect Level.</p> <p>LOEC: Lowest Observed Effect Concentration.</p> <p>MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.</p> <p>IBC: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (International Bulk Chemical Code).</p> <p>NOAEC: No Observed Adverse Effect Concentration.</p> <p>NOAEL: No Observed Adverse Effect Level.</p> <p>NOEC: No Observed Effect Concentration.</p> <p>OECD: Organisation for Economic Co-operation and Development.</p> <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.</p> <p>SVHC: Substances of Very High Concern.</p> <p>UN: United Nations.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p>
<b>General information</b>	<p>The following information is provided to conform with article 13 of the EC Directive on Packaging and Packaging Waste 94/62/EC:</p> <ul style="list-style-type: none"> <li>• Wherever possible we use returnable packaging and pallets. Details of these are on our Sales Contracts</li> <li>• For any non-returnable packaging the cost of disposal is at your expense, but we do have a list of reprocessors available</li> <li>• In most cases, but not all, we are able to supply products in returnable packaging but the additional cost of this will be for the customer's expense. Please ask for details with your specific requirements</li> <li>• Any products supplied in returnable packaging is clearly marked to this effect.</li> </ul>
<b>Key literature references and sources for data</b>	<p>Chemical safety report. Commission Regulation (EU) 2016/1179 amending, for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures. International Chemical Safety Card, <a href="http://www.inchem.org">www.inchem.org</a>. Institute for Occupational Safety and Health of the German Social Accident Insurance (AFI), GESTIS Substance database; <a href="http://www.dguv.de/ifa/gestis-database">www.dguv.de/ifa/gestis-database</a>.</p>
<b>Revision comments</b>	<p>Revised classification. NOTE: Lines within the margin indicate significant changes from the previous revision.</p>
<b>Revision date</b>	<p>14/02/2018</p>

## COPPER SULPHATE PENTAHYDRATE

<b>Revision</b>	5
<b>Supersedes date</b>	03/09/2015
<b>SDS status</b>	For further information, see attached Exposure Scenario.
<b>Hazard statements in full</b>	H302 Harmful if swallowed. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.