

D 5 CHLORHEXIDINE

Code: 0 70H 1

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 04/05/15

Print Date : 04/05/15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name **D 5 CHLORHEXIDINE**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the product

**NEUTRAL pH LIQUID
UDDER HYGIENE
PROTECTION AND DISINFECTION OF TEATS AFTER MILKING**

1.3. Details of the supplier of the safety data sheet

Company identification

**Manufacturer: HYPRED S.A.
57, Boulevard Jules VERGER B.P. 10180
35803 DINARD CEDEX - FRANCE
Tél : 33 2 99 16 50 00
Fax : 33 2 99 16 50 20
e-mail : hypred@hypred.fr**

For information regarding this safety data sheet, please contact :
hypred.regulatory@roullier.com

1.4. Emergency telephone number

Emergency phone number

**Emergency direct number (24 hours a day, 7 days a week) : (+)1-760-476-3961
Access code : 333021**

**Call your medical practitioner LONDON (Information available at the National
Poison Unit - Guy's Hospital)**

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation 1272/2008/EC:

The mixture meets the classification criteria provided for under Regulation (EC) No 1272/2008.

D 5 CHLORHEXIDINE

Code: 0 70H 1

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 04/05/15

Print Date : 04/05/15

Serious eyes damages - Category 1

H318: Causes serious eye damage.

Chronic toxicity to the aquatic environment -
Category 3

H412: Harmful to aquatic life with long lasting effects.

Classification according to Directive 1999/45/EEC:

The mixture meets the classification criteria provided for under Directive 1999/45/EEC.

N : DANGEROUS FOR THE ENVIRONMENT, Xi : IRRITANT

R36 : Irritating to eyes.

R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2. Label elements

Labelling according to 1272/2008/EC Regulation:

Hazard pictograms(s) :



Signal word :

Danger

Hazard statement(s) :

H318: Causes serious eye damage.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statement(s) :

P102: Keep out of reach of children.

P280: Wear eye protection.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards

No additional information available.

D 5 CHLORHEXIDINE

Code: 0 70H 1

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 04/05/15

Print Date : 04/05/15

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable as this involves a mixture.

3.2. Mixtures

Chemical nature of the mixture : NEUTRAL pH LIQUID

Substance(s)	CAS number (s)	EINECS number (s)	No registration REACH	Classification according to 67/548/EEC or 1999/45/EC	Classification according to Regulation 1272/2008/EC	Type
25% <= Glycerol < 50%	56-81-5	200-289-5		Not classified	Not classified	(2)
3% <= Alcohols, C12-C14, ethoxylated < 5%	68439-50-9			Xn , R22 R41	Eye Dam. 1 H318 Acute Tox. 4 (oral) H302 Aquatic Chronic 3 H412	(1)
0,25% <= D-gluconic acid compound with N,N"bis (4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1) < 1%	18472-51-0	242-354-0	Biocidal active substance, regarded as already registered	N Xi , R41 R50/53	Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 M Factor (Acute) 10 M Factor (Chronic) 1	(1)

Type

(1) : Substance classified as hazardous for health and/or the environment

(2) : Substance with an exposure limit at the work station.

Substance of very high concern candidate for the authorisation procedure:

(3) : Substance considered as PBT (persistent, bioaccumulable, toxic)

(4) : Substance considered as vPvB (very persistent, very bioaccumulable)

(5) : Substance considered as carcinogenic category 1A

(6) : Substance considered as carcinogenic category 1B

(7) : Substance considered as mutagenic category 1A

(8) : Substance considered as mutagenic category 1B

(9) : Substance considered as reprotoxic category 1A

(10) : Substance considered as reprotoxic category 1B

(11) : Substance considered as endocrine disrupter

Full text of R-, H- and EUH- phrases see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General indications:

Take the contaminated clothes and shoes off immediately. Wash them before wearing them again.

In case of faintness , get medical advice/attention. Show this safety data sheet to the doctor.

D 5 CHLORHEXIDINE

Code: 0 70H 1

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 04/05/15

Print Date : 04/05/15

In the event of inhalation :

Bring to fresh air.

In the event of contact with the skin :

Wash with water.

In the event of contact with the eyes :

Rinse at once with a soft stream of water for at least 15 minutes, eyes wide open.

Remove contact lenses if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

In the event of ingestion :

Rinse mouth.

Do NOT induce vomiting.

Get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact : D 5 CHLORHEXIDINE is not regarded as a mix which is irritating to the skin.

Eye contact : Causes serious eye damage.

Ingestion : May cause digestive troubles.

Inhalation : Not considered as hazardous through inhalation under normal conditions of use.

4.3. Indication of any immediate medical attention and special treatment needed

Treatments : Symptomatic treatment

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media :

Agents compatible with other products involved into fire.

Unsuitable extinguishing media :

None from our knowledge.

5.2. Special hazards arising from the substance or mixture

D 5 CHLORHEXIDINE is non-flammable.

5.3. Advice for firefighters

Wear independent respiratory equipment and protective suit.

D 5 CHLORHEXIDINE

Code: 0 70H 1

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 04/05/15

Print Date : 04/05/15

Collect contaminated firefighting water separately, must not be discharged into the drains.
Keep containers cool by spraying with water if exposed to fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel :

Evacuate non-essential staff and those not equipped with individual protection apparatus.

6.1.2. For emergency responders :

Evacuate the personnel to a safe location.

Keep people upwind and away from the location of the flow/leak.

Use personal protection equipment.

6.2. Environmental precautions

Do not discharge the product directly to sewer or to environment.

6.3. Methods and material for containment and cleaning up

Small spillage :

Pump in a reservoir of help.

Large spillage :

Mark out, dyke up with an inert absorbant and pump in an emergency tank.

Never return spills in original containers for re-use.

Keep in suitable, properly labelled and closed containers for disposal.

6.4. Reference to other sections

Respect protective measures presented at heading 8.

Refer to section 13 for the elimination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not eat, drink or smoke in work area. Avoid projections during use.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1. Storage :

Do not store below the point of freezing.

Keep only in the original container.

Keep container closed.

7.2.2. Packaging or wrapping materials :

High density polyethylene recommended.

7.3. Specific end use(s)

D 5 CHLORHEXIDINE is for use as a biocide.

D 5 CHLORHEXIDINE

Code: 0 70H 1

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 04/05/15

Print Date : 04/05/15

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values :

Substance	Country	Type	Value	Unit	Comments	source
Glycerol	GBR	OEL 8h	10	mg/m ³		International limit values for chemical agents

8.2. Exposure controls

Directive 98/24/EEC requires the employer to introduce risk management measures. If restricted or indicative regulatory limit values have been set for substances in section 8.1, the employer must act on the outcome of his chemical risk assessment by checking the professional exposure limit values for their compliance.

8.2.1. Appropriate engineering controls :

Ensure adequate ventilation.

Apply the necessary technical measures to comply with the professional exposure limit values.

8.2.2. Individual protection measures, such as personal protective equipment :

Eye/face protection :

Use safety glasses or facial screen in conformity with the EN 166 standard.



Hand protection :

No special protection measure is required.

Skin protection :

No special protection measure is required.

Respiratory protection :

No special protection measure is required.

Thermal hazards :

Not applicable

Health measures :

D 5 CHLORHEXIDINE

Code: 0 70H 1

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 04/05/15

Print Date : 04/05/15

After using, wash systematically all personal protective equipment.

8.2.3. Environmental exposure controls :

Do not discharge the product directly to sewer or to environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid
Colour	Blue
Odour	Scented
Odour threshold	Non available
Pure pH	6±1
pH value at 10g/l	Non available
Freezing point :	0 °C
Boiling point	Non available
Flash point	Not applicable
Evaporation rate:	Non available
Flammability	Not applicable
Vapour pressure	Non available
Vapour density	Non available
Mass density	1.095±0.01 g/cm ³
Relative density	1.095±0.01
Solubility in water	Soluble in water in all proportions
Partition coefficient: n-octanol/water	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	Non available
Viscosity	Non available
Explosive properties	Not applicable
Oxidising properties	Not applicable

9.2. Other information

No additional information.

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions of use.

10.2. Chemical stability

Stable in the recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

None to our knowledge.

D 5 CHLORHEXIDINE

Code: 0 70H 1

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 04/05/15

Print Date : 04/05/15

10.4. Conditions to avoid

Storage below the freezing point.

10.5. Incompatible materials

None to our knowledge.

10.6. Hazardous decomposition products

None to our knowledge in standard conditions of use.

These data are given for the concentrated mixture. The use of the mixture under its diluted form must be performed in conformity with data given by the technical data sheet and the technical adviser.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Substance-related data:

Acute toxicity

D-gluconic acid compound with N,N"bis (4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1) (18,87%) : LD 50 - oral rat > 2,000 mg/kg. - MSDS supplier
Alcohols, C12-C14, ethoxylated : LD 50 - oral rat 300 - 2,000 mg/kg. - MSDS supplier

Serious eye damage/eye irritation

D-gluconic acid compound with N,N"bis (4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1) (18,87 %) : Eye contact : . Risk of serious damage of eyes - MSDS supplier
Alcohols, C12-C14, ethoxylated (90%) : Eye irritation . Risk of serious damage of eyes - MSDS supplier

Sensitisation

Alcohols, C12-C14, ethoxylated (90%) : Sensitisation . Not sensitising - MSDS supplier

Mix-related data.:

Acute toxicity

. Not determined

Skin corrosion/irritation

Skin irritation . The mix is not considered to be irritating for the skin under the criteria of Regulation 1272/2008/EC.

Serious eye damage/eye irritation

Ocular corrosivity . Causes serious eye damage according to the criteria of Regulation 1272/2008/EC.

Respiratory or skin sensitisation

Skin sensitisation . The mixture is not considered as a skin sensitizer according to 1272/2008/EC Regulation.

Respiratory sensitization . The mixture is not considered as a respiratory sensitizer according to 1272/2008/EC Regulation.

Mutagenicity

. The classification criteria are not met given the available data.

Carcinogenicity

D 5 CHLORHEXIDINE

Code: 0 70H 1

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 04/05/15

Print Date : 04/05/15

. The classification criteria are not met given the available data.

Reproductive toxicity

. The classification criteria are not met given the available data.

Specific target organ toxicity - single exposure

. The classification criteria are not met given the available data.

Specific target organ toxicity - repeated exposure

. The classification criteria are not met given the available data.

Aspiration hazard

. The classification criteria are not met given the available data.

Most important symptoms and effects, both acute and delayed :

Skin contact : D 5 CHLORHEXIDINE is not regarded as a mix which is irritating to the skin.

Eye contact : Causes serious eye damage.

Ingestion : May cause digestive troubles.

Inhalation : Not considered as hazardous through inhalation under normal conditions of use.

SECTION 12: Ecological information

12.1. à 12.4. Toxicity - Persistence and degradability - Bioaccumulative potential - Mobility in soil

Substance-related data:

Acute toxicity

D-gluconic acid compound with N,N"bis (4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1) : LC 50 fishes 2.08 mg/L. - MSDS supplier

D-gluconic acid compound with N,N"bis (4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1) : EC 50 daphnia (Daphnia magna) 0.087 mg/L. - MSDS supplier

D-gluconic acid compound with N,N"bis (4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1) : EC 50 algae 0.081 mg/L. - MSDS supplier

CHRONIC TOXICITY

D-gluconic acid compound with N,N"bis (4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1) : NOEC daphnia 0.02 mg/L. - MSDS supplier

Degradability

Alcohols, C12-C14, ethoxylated (90%) : Biodegradability . Surfactant(s) contained in this preparation comply with biodegradability criteria as defined in (EC) regulation n° 648/2004 on detergents. - MSDS supplier

D-gluconic acid compound with N,N"bis (4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1) (18,87%) : . Difficult to biodegrade - MSDS supplier

Bioaccumulation

D-gluconic acid compound with N,N"bis (4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecanediamidine (2:1) : Log Koc > 3.9 . - MSDS supplier

D 5 CHLORHEXIDINE

Code: 0 70H 1

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 04/05/15

Print Date : 04/05/15

Mix-related data.:

Acute toxicity
fishes . Not determined
daphnia . Not determined
algae . Not determined

CHRONIC TOXICITY
. No data available.

Degradability
. No data available.

Bioaccumulation
. No data available.

Mobility
. No data available.

Conclusion :

The mixture is considered to be dangerous for the environment according to 1272/2008/EC Regulation.

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB

12.6. Other adverse effects

No additional information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Treatment of the mixture :

Do not discharge the product directly to sewer or to environment.

Comply with Directive 2008/98/EC of 19/11/2008 relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2001/119/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

Packaging treatment :

Rinse thoroughly the packaging with water and treat the effluent like wastes.

Comply with Directive 2008/98/EC of 19/11/2008 relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2001/119/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

SECTION 14: Transport information

ROAD TRANSPORT:

Rail/Route (RID/ADR)

UN no :

UN proper shipping name : Not concerned

D 5 CHLORHEXIDINE

Code: 0 70H 1

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 04/05/15

Print Date : 04/05/15

Class :
Packing group :
Hazard code :
Label :

Tunnel code :
Environmental hazard : No
Special precautions for user : No information.

MARITIME TRANSPORT :

IMDG

UN no :
UN proper shipping name : Not concerned
Class :

Packing group :
Marine pollutant : No
Special precautions for user : No information.
EmS number :
Comply with the provisions of the IMDG on the physical separation of materials.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code :
Not concerned

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations relating to the hazards from major accidents :
Directive 96/82/EC amended by Directive SEVESO 2 (2003/15/EC)

Regulations relating to the classification, packing and labelling of substances and mixes :
Regulation 1272/2008/EC amended, Directive 1999/45/EC amended.

Waste regulations :
Directive 2008/98/EC of 19/11/2008 relating to waste.
Decision 2000/532/EC amended which establishes the list of hazardous waste.

Protection of workers :
Directive 98/24/EC of 07/04/1998 on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation 850/2004/EC on persistent organic pollutants and modifying Directive 79/117/EC : Not concerned

Regulation 2037/2000/EC on substances that deplete the ozone layer : Not concerned

Regulation (EC) 648/2004 :

D 5 CHLORHEXIDINE

Code: 0 70H 1

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 04/05/15

Print Date : 04/05/15

Not concerned

15.2. Chemical safety assessment

No

SECTION 16: Other information

The safety data sheet is additional to the technical data sheet but does not replace it. The information given here in is to the best of our knowledge correct and is given in good faith. We must also draw the user's attention on potential risks of the product is used for other purposes for which the product is known.

In no way does it exempt users from being aware of and complying with regulations applicable to their activity. It is their sole responsibility to take all necessary precautions in accordance to the usage of the product they are aware of. Regulations are only stated in order to help users fulfill the duties involved in the use of the product.

This description should not be considered as exhaustive. It does not exempt users from ensuring if other demands need to be complied with-according to other laws than the ones hereby stated and applicable to holding and usage of the product-demands for which they will remain sole responsibility.

Section(s) modified compared with the previous version :

Revision of the safety data sheet according to 453/2010/EC Regulation.

List of R phrases referred to in sections 2 and 3 :

R22 : Harmful if swallowed.

R36 : Irritating to eyes.

R41 : Risk of serious damage to eyes.

R50/53 : Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

List of H phrases referred to in sections 2 and 3 :

H302 : Harmful if swallowed.

H318 : Causes serious eye damage.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

H412 : Harmful to aquatic life with long lasting effects.

Sources of key data used to compile the data sheet :

MSDS supplier

International limit values for chemical agents

Historical :

Version 5.0.0

Cancels and replaces previous version 4.1.3