



HYPRACID PLUS

Code: 0 10P 0

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 31/03/15

Print Date : 31/03/15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name **HYPRACID PLUS**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the product

**LIQUID ACID
DAIRY BREEDING
CLEANING AND DESCALING OF MILKING EQUIPMENT
MILK SCALE REMOVER**

1.3. Details of the supplier of the safety data sheet

Company identification

**HYPRED S.A.
57, Boulevard Jules Verger B.P 10180
35803 DINARD Cedex - FRANCE
Tél : +33 (0)2 99 16 50 00
Fax : +33 (0)2 99 16 50 20
e-mail : hypred@hypred.fr**

For information regarding this safety data sheet, please contact :
hypred.regulatory@roullier.com

1.4. Emergency telephone number

Emergency phone number

Emergency direct number (24 hours a day, 7 days a week) :
(+ 1-760-476-3960 (Asian area, Pacific area)
(+ 1-760-476-3961 (European area)
(+ 1-760-476-3962 (Americas area)
(+ 1-760-476-3959 (Middle eastern countries and African area)
Access code : 333021

**INRS
30, rue Olivier Noyer
75014 Paris - FRANCE
Tél : + 33 (0) 1 45 42 59 59**

SECTION 2: Hazards identification

HYPRACID PLUS

Code: 0 10P 0

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 31/03/15

Print Date : 31/03/15

2.1. Classification of the substance or mixture

Classification according to Regulation 1272/2008/EC:

The mixture meets the classification criteria provided for under Regulation (EC) No 1272/2008.

Skin corrosion - Category 1A	H314: Causes severe skin burns and eye damage.
Substance corrosive to metals - Category 1	H290: May be corrosive to metals.
	EUH 071: Corrosive to the respiratory tract.

Classification according to Directive 1999/45/EEC:

The mixture meets the classification criteria provided for under Directive 1999/45/EEC.

C : CORROSIVE

R35 : Causes severe burns.

2.2. Label elements

Labelling according to 1272/2008/EC Regulation:

Hazard pictograms(s) :



Signal word :

Danger

Hazard statement(s) :

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

EUH 071: Corrosive to the respiratory tract.

Precautionary statement(s) :

P260: Do not breathe vapour.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

HYPRACID PLUS

Code: 0 10P 0

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 31/03/15

Print Date : 31/03/15

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards

No additional information available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable as this involves a mixture.

3.2. Mixtures

Chemical nature of the mixture : LIQUID ACID

Substance(s)	CAS number(s)	EINECS number (s)	No registration REACH	Classification according to 67/548/EEC or 1999/45/EC	Classification according to Regulation 1272/2008/EC	Type
20% <= Nitric acid < 65%	7697-37-2	231-714-2	01-2119487297-23	C O , R35 R8	Ox. Liq. 3 H272 Skin Corr. 1A H314 Met. Corr. 1 H290	(1) (2)
1% <= Phosphoric Acid < 5%	7664-38-2	231-633-2	01-2119485924-24	C , R34	Skin Corr. 1B H314 Met. Corr. 1 H290	(1) (2)

Type

(1) : Substance classified as hazardous for health and/or the environment

(2) : Substance with an exposure limit at the work station.

Substance of very high concern candidate for the authorisation procedure:

(3) : Substance considered as PBT (persistent, bioaccumulable, toxic)

(4) : Substance considered as vPvB (very persistent, very bioaccumulable)

(5) : Substance considered as carcinogenic category 1A

(6) : Substance considered as carcinogenic category 1B

(7) : Substance considered as mutagenic category 1A

(8) : Substance considered as mutagenic category 1B

(9) : Substance considered as reprotoxic category 1A

(10) : Substance considered as reprotoxic category 1B

(11) : Substance considered as endocrine disrupter

Full text of R-, H- and EUH- phrases see section 16.

HYPRACID PLUS

Code: 0 10P 0

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 31/03/15

Print Date : 31/03/15

SECTION 4: First aid measures

4.1. Description of first aid measures

General indications:

Take the contaminated clothes and shoes off immediately. Wash them before wearing them again.
In case of faintness , get medical advice/attention. Show this safety data sheet to the doctor.

In the event of inhalation :

Bring to fresh air.
Put into practice respiratory help procedure if needed and get medical advice immediately.

In the event of contact with the skin :

Take off immediately all contaminated clothing.
Wash immediately with plenty of water for 15 minutes at least.
Immediately call a POISON CENTER or doctor/physician.

In the event of contact with the eyes :

Rinse at once with a soft stream of water for at least 15 minutes, eyes wide open.
Immediately call a POISON CENTER or doctor/physician.

In the event of ingestion :

Rinse mouth.
Do NOT induce vomiting.
Send to hospital.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact : Corrosive : Causes severe burns.

Eye contact : Causes serious eye damage.

Ingestion : Causes severe burns in mouth and digestive tract.
Can cause severe damage to the stomach or oesophagus.

Inhalation : Corrosive to the respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treatments : Symptomatic treatment

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media :
Pulverized water.

HYPRACID PLUS

Code: 0 10P 0

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 31/03/15

Print Date : 31/03/15

Carbone dioxide (CO₂).

Unsuitable extinguishing media :

Alkaline powders.

Chemical foams.

5.2. Special hazards arising from the substance or mixture

HYPRACID PLUS is non-flammable.

However in case of fire, risk of formation of toxic fumes (nitrogen oxides).

However, in contact with certain metals (aluminium, zinc, copper...), release of hydrogen whose mixtures with air are explosive.

5.3. Advice for firefighters

Wear independent respiratory equipment and protective suit.

Collect contaminated firefighting water separately, must not be discharged into the drains.

Keep containers cool by spraying with water if exposed to fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel :

Evacuate non-essential staff and those not equipped with individual protection apparatus.

6.1.2. For emergency responders :

Evacuate the personnel to a safe location.

Keep people upwind and away from the location of the flow/leak.

Use personal protection equipment.

6.2. Environmental precautions

Intervention limited to trained staff.

Do not discharge the product directly to sewer or to environment.

Take as soon as possible all incompatible materials away.

6.3. Methods and material for containment and cleaning up

Small spillage :

Wash with plenty of water.

Large spillage :

Never return spills in original containers for re-use.

Keep in suitable, properly labelled and closed containers for disposal.

Mark out, dyke up with an inert absorbant and pump in an emergency tank.

6.4. Reference to other sections

Respect protective measures presented at heading 8.

Refer to section 13 for the elimination.

HYPRACID PLUS

Code: 0 10P 0

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 31/03/15

Print Date : 31/03/15

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Do not breathe vapour.
- Avoid contact with skin, eyes and clothing.
- Do not eat, drink or smoke in work area. Avoid projections during use.
- Take off immediately all contaminated clothing.
- Keep away from incompatible matters (see heading 10).

7.2. Conditions for safe storage, including any incompatibilities

7.2.1. Storage :

- Keep only in the original container.
- Keep in a clean, cool and well-ventilated place away from sources of heat and intense light.
- Keep container closed.
- Keep away from products sensitive to acids.

7.2.2. Packaging or wrapping materials :

- High density polyethylene recommended.

7.3. Specific end use(s)

- No other recommendation.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values :

Substance	Country	Type	Value	Unit	Comments	source
Phosphoric Acid	EU	OEL 8h	1	mg/m ³	Indicative Occupational Exposure Limit Value	International limit values for chemical agents
		OEL Short term	2	mg/m ³	Indicative Occupational Exposure Limit Value	International limit values for chemical agents
Nitric acid	EU	OEL Short term	1	ppm	Indicative Occupational Exposure Limit Values	International limit values for chemical agents
			2,6	mg/m ³	Indicative Occupational Exposure Limit Values	International limit values for chemical agents

8.2. Exposure controls

Directive 98/24/EEC requires the employer to introduce risk management measures. If restricted or indicative regulatory limit values have been set for substances in section 8.1, the employer must act on the outcome of his chemical risk assessment by checking the professional exposure limit values for their compliance.

8.2.1. Appropriate engineering controls :

- Ensure adequate ventilation.
- Apply the necessary technical measures to comply with the professional exposure limit values.

HYPRACID PLUS

Code: 0 10P 0

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 31/03/15

Print Date : 31/03/15

8.2.2. Individual protection measures, such as personal protective equipment :

Eye/face protection :

Use safety glasses or facial screen in conformity with the EN 166 standard.



Hand protection :

Use chemical resistant gloves approved to EN 374.

Examples of preferred materials for insulating gloves:

Butyl rubber.

Nitril.

Neoprene.

Do not wear polyvinyl alcohol (PVA) gloves.



Skin protection :

Wear boots and a protective cloth with chemical resistance.



Respiratory protection :

At the time of handling leading to vapor formation, wear a half-mask in compliance with the European standard EN 140 or a complete mask with a filter in conformity with the European standard EN 136 (in conformity with the European standard EN 141 or EN 14387) of type:

B: Inorganic gases and vapors.

E: gas and acid vapours.

NOx: nitrous vapours.



Thermal hazards :

Not applicable

Health measures :

Safety shower and eye wash fountain near to workplace.

After using, wash systematically all personal protective equipment.

Handle in accordance with good industrial hygiene practices and the safety instructions.

HYPRACID PLUS

Code: 0 10P 0

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 31/03/15

Print Date : 31/03/15

8.2.3. Environmental exposure controls :

Do not discharge the product directly to sewer or to environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid
Colour	Colourless
Odour	Pungent
Odour threshold	Non available
Pure pH	0.1±0.1
pH value at 10g/l	1.5±0.5
Freezing point :	-25 °C
Boiling point	> 100 °C
Evaporation rate:	Non available
Flammability	Not applicable
Vapour pressure	Non available
Vapour density	Non available
Mass density	1.165±0.01 g/cm ³
Relative density	1.165±0.01
Solubility in water	Soluble in water in all proportions
Partition coefficient: n-octanol/water	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	Non available
Viscosity	Non available
Explosive properties	Not applicable
Oxidising properties	Not applicable

9.2. Other information

No additional information.

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions of use.

10.2. Chemical stability

Stable in the recommended storage and handling conditions.

10.3. Possibility of hazardous reactions

Exothermic reactions with alkalis.
Exothermic reactions with reducing agents.

10.4. Conditions to avoid

HYPRACID PLUS

Code: 0 10P 0

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 31/03/15

Print Date : 31/03/15

Light, heat.

10.5. Incompatible materials

Alkalines.
Chlorinated alkalis.
Certain metals.
Reducing agents.

10.6. Hazardous decomposition products

In contact with certain metals (aluminium, zinc, copper...), release of hydrogen whose mixtures with air are explosive.
In case of fire, risk of formation of toxic fumes (nitrogen oxides).

These data are given for the concentrated mixture. The use of the mixture under its diluted form must be performed in conformity with data given by the technical data sheet and the technical adviser.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Substance-related data:

Acute toxicity

Phosphoric Acid : LC 50 - inhalation - 1h rat 3.846 mg/L. - MSDS supplier

Phosphoric Acid : LD 50 - dermal rabbit 2,740 mg/kg. - MSDS supplier

Phosphoric Acid (75 %) : LD 50 - oral rat 2,600 mg/kg. - MSDS supplier

Nitric acid : LC 50 - inhalation - 4h rat 1.56 mg/L. - MSDS supplier

Skin corrosion/irritation

Phosphoric Acid (75%) : Skin irritation . Corrosive. - MSDS supplier

Serious eye damage/eye irritation

Phosphoric Acid (75%) : Eye irritation rabbit . Corrosive. - MSDS supplier

Mutagenicity

Nitric acid (58%) : . Not mutagenic - MSDS supplier

Carcinogenicity

Nitric acid (58%) : . Not carcinogenic - MSDS supplier

Mix-related data.:

Acute toxicity

. Not determined

Skin corrosion/irritation

Skin corrosivity . The mixture should be considered as corrosive because of its extreme pH.

Serious eye damage/eye irritation

Ocular corrosivity . Causes serious eye damage according to the criteria of Regulation 1272/2008/EC.

Respiratory or skin sensitisation

HYPRACID PLUS

Code: 0 10P 0

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 31/03/15

Print Date : 31/03/15

Skin sensitisation . The mixture is not considered as a skin sensitizer according to 1272/2008/EC Regulation.

Respiratory sensitization . The mixture is not considered as a respiratory sensitizer according to 1272/2008/EC Regulation.

Mutagenicity

. The classification criteria are not met given the available data.

Carcinogenicity

. The classification criteria are not met given the available data.

Reproductive toxicity

. The classification criteria are not met given the available data.

Specific target organ toxicity - single exposure

. The classification criteria are not met given the available data.

Specific target organ toxicity - repeated exposure

. The classification criteria are not met given the available data.

Aspiration hazard

. The classification criteria are not met given the available data.

Most important symptoms and effects, both acute and delayed :

Skin contact : Corrosive : Causes severe burns.

Eye contact : Causes serious eye damage.

Ingestion : Causes severe burns in mouth and digestive tract.
Can cause severe damage to the stomach or oesophagus.

Inhalation : Corrosive to the respiratory tract.

SECTION 12: Ecological information

12.1. à 12.4. Toxicity - Persistence and degradability - Bioaccumulative potential - Mobility in soil

Substance-related data:

Acute toxicity

Phosphoric Acid : LC 50 - 96h fishes 3 - 3.25 mg/L. - MSDS supplier

Nitric acid (100%) : LC 50 - 96h fishes > 100 mg/L. - MSDS supplier

Phosphoric Acid : EC 50 - 72H algae (OCDE 201): > 100 mg/L.

Phosphoric Acid : EC 50 - 48h daphnia (OCDE 202): > 100 mg/L. - MSDS supplier

Mix-related data:

Acute toxicity

fishes . Not determined

daphnia . Not determined

algae . Not determined

CHRONIC TOXICITY

HYPRACID PLUS

Code: 0 10P 0

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 31/03/15

Print Date : 31/03/15

. No data available.

Degradability

. No data available.

Bioaccumulation

. No data available.

Mobility

. No data available.

Conclusion :

The mixture is not considered to be dangerous for the environment according to 1272/2008/EC Regulation.

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB

12.6. Other adverse effects

No additional information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Treatment of the mixture :

Do not discharge the product directly to sewer or to environment.

Comply with Directive 2008/98/EC of 19/11/2008 relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2001/119/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

Packaging treatment :

Rinse thoroughly the packaging with water and treat the effluent like wastes.

Comply with Directive 2008/98/EC of 19/11/2008 relating to waste and to Decision 2000/532/EC (amended ultimately by Decision 2001/119/EC) that establishes a list of hazardous waste that must be taken to an approved centre.

SECTION 14: Transport information

ROAD TRANSPORT:

Rail/Route (RID/ADR)

UN no : 3264

UN proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC , N.O.S. (Phosphoric Acid+Nitric acid)

Class : 8

Packing group : II

Hazard code : 80

Label : 8

HYPRACID PLUS

Code: 0 10P 0

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 31/03/15

Print Date : 31/03/15



Tunnel code : E

Environmental hazard : No

Special precautions for user : No information.

MARITIME TRANSPORT :

IMDG

UN no :3264

UN proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC , N.O.S. (Phosphoric Acid+Nitric acid)

Class : 8



Packing group : II

Marine pollutant : No

Special precautions for user : No information.

EmS number : F-A,S-B

Comply with the provisions of the IMDG on the physical separation of materials.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code :

Not concerned

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations relating to the hazards from major accidents :

Directive 96/82/EC amended by Directive SEVESO 2 (2003/15/EC)

Regulations relating to the classification, packing and labelling of substances and mixes :

Regulation 1272/2008/EC amended, Directive 1999/45/EC amended.

Waste regulations :

Directive 2008/98/EC of 19/11/2008 relating to waste.

Decision 2000/532/EC amended which establishes the list of hazardous waste.

Protection of workers :

Directive 98/24/EC of 07/04/1998 on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation 850/2004/EC on persistent organic pollutants and modifying Directive 79/117/EC : Not concerned

Regulation 2037/2000/EC on substances that deplete the ozone layer : Not concerned

HYPRACID PLUS

Code: 0 10P 0

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 31/03/15

Print Date : 31/03/15

Regulation (EC) 648/2004 :

In conformity with the regulation in force on detergents: Regulation (EC) N° 648/2004.

Ingredient datasheet for the medical staff is available upon written request.

Contains :

< 5% Phosphates

15.2. Chemical safety assessment

No

SECTION 16: Other information

The safety data sheet is additional to the technical data sheet but does not replace it. The information given here in is to the best of our knowledge correct and is given in good faith. We must also draw the user's attention on potential risks of the product is used for other purposes for which the product is known.

In no way does it exempt users from being aware of and complying with regulations applicable to their activity. It is their sole responsibility to take all necessary precautions in accordance to the usage of the product they are aware of.

Regulations are only stated in order to help users fulfill the duties involved in the use of the product.

This description should not be considered as exhaustive. It does not exempt users from ensuring if other demands need to be complied with-according to other laws than the ones hereby stated and applicable to holding and usage of the product-demands for which they will remain sole responsibility.

Section(s) modified compared with the previous version :

Revision of the safety data sheet according to 453/2010/EC Regulation.

List of R phrases referred to in sections 2 and 3 :

R34 : Causes burns.

R35 : Causes severe burns.

R8 : Contact with combustible material may cause fire.

List of H phrases referred to in sections 2 and 3 :

H272 : May intensify fire; oxidiser.

H290 : May be corrosive to metals.

H314 : Causes severe skin burns and eye damage.

Sources of key data used to compile the data sheet :

MSDS supplier

International limit values for chemical agents

Historical :

Version 5.0.0

Cancels and replaces previous version 4.2.4



HYPRACID PLUS

Code: 0 10P 0

Material Safety Data Sheet compliant with Regulation (EC) 1907/2006, Annex II, amended by Regulation (EC) 453/2010

Version 5.0.0

Revision: 31/03/15

Print Date : 31/03/15
